B-383FL



EN

ΟΡΤΙΚΑ

Rev: 03

Model: B-383FL

Typology:

ROUTINE MICROSCOPE

Description:

Educational and laboratory microscope for routine applications. Dye-cast frame, with high stability and ergonomy, for transmitted light and fluorescence reflected light observation.

| Illumination | Transmitted light:Light source type X-LED³ with manual brightness control.LED power: 3.6W, comparable to a 50W halogen bulb.Color temperature: 6300KLED average lifetime: 50000h.Power supply: Input 110/240Vac, 50/60Hz; Output 6Vdc 1AMax. required power: 6WEpi-fluorescence:HBO 100W high pressure mercury bulb.Bulb average lifetime: approx. 400h.Input voltage: 100/240Vac, 50/60HzMax. required power: 130W |
|-------------------|---|
| Observation modes | Brightfield, Fluorescence Fluorescence B: EX 460-490, DM 505, EM 515LP Fluorescence G: EX 510-550, DM 570, EM 590LP |
| Fluorochromes | 2 positions fluorescence filter holder: Excitation B: Acridine Yellow, Acridine Orange, Auramine, DiO, DTAF, FITC, GFP, YFP, ecc. Excitation G: DiL; Blu Evans, Feulgen, Rhodamine, Texas Red, TRITC, PI, etc. |
| Focusing | Coaxial coarse and fine focusing mechanism (graduated, 0.002mm) with upper stop, to prevent the contact between objective and specimen. Adjustable tension of coarse focusing knob. |
| Stage | Double layer mechanical sliding stage, dimensions 216x150mm, moving range 78x54mm. Belt-drive in X direction. Vernier scale on the two axes, accuracy 0,1 mm. |
| Nosepiece | Quintuple revolving nosepiece, rotation on ball bearings. |
| Head | Trinocular observation head, inclined 30° and rotatable 360°. Diopter adjustment on both eyepieces. Interpupillary adjustment 48-75 mm. Fixed photo port, 50/50 ratio. |
| Eyepieces | Widefield eyepieces WF10X/20 with field number 20. |
| Objectives | E-PLAN objectives IOS (infinity corrected), made by: -) E-Plan IOS 4X, N.A. 0.10, W.D. 16.8 mm -) E-Plan IOS 10X, N.A. 0.25, W.D. 5.8 mm -) E-Plan IOS 20x, N.A. 0,40, W.D. 1,4 mm -) E-Plan IOS 40X, N.A. 0.65, W.D. 0.43 mm -) E-Plan IOS 100X, N.A. 1.25, W.D. 0.13 mm (oil immersion) |
| | All objectives are treated with an anti-fungus treatment. |
| Condenser | Abbe condenser, N.A. 1,25 with centering system. |
| Dimensions | HEIGHT:480 mm (without attachment) / 592 mm (with attachment)WIDTH:210 mmDEPTH:370 mmWEIGHT:6 kg |
| Accessories | Instruction manual and dust cover included. |
| | |